

Установка модуля PayKeeper в CMS Drupal Ubercart

Данный модуль предназначен для интернет-магазинов на платформе Drupal Ubercart.

1. Установка модуля

Скопируйте все файлы из архива с модулем в корень сайта. В панели администрирования CMS зайдите в раздел «Модули». В блоке «Ubercart – Payment» должна появится запись с информацией о новом модуле «PayKeeper» - поставьте напротив него галочку. Нажмите кнопку «Coxpaнить конфигурацию»

n Dashbo	bard	Store Co	ontent Structure	Appearar	ce People Nodules Configuration Reports Help	Hello admin	Log out 🖵
Add content		d content					
	-	ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS	
			Credit card	7.x- 3.10	Enables support for credit card payments at checkout. Requires: Store (enabled), Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled) Required by: Test gateway (disabled), Authorize.net (disabled)		
			CyberSource	7.x- 3.10	Processes payments using the CyberSource Silent Order POST and Hosted Order Page services. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity AFI (enabled), Views (enabled), Chaos tools (enabled)		
			Google Checkout	7.x- 3.10	This module is obsolete and CANNOT be installed. Uninstall hooks remain so you can remove this module if you previously had it installed. Requires: Cart (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Lutes (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Payment (enabled), Shipping quotes (enabled)		
		۲	PayKeeper	7.x-3.x	Credit cards, QIWI, WebMoney, YandexMoney and etc. through PayKeeper payment platform Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Fileld (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)		
			Payment method pack	7.x- 3.10	Provides the check/money order, COD, and 'other' payment methods. Requires: Cart (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Payment (enabled)		
			PayPal	7.x- 3.10	Processes payments using PayPal Website Payments Standard, Website Payments Pro and Express Checkout. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Filel (enabled), Filel SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)		
			Test gateway	7.x- 3.10	Adds a credit card gateway that simulates a successful payment for testing checkout. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), Fiel (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Credit card (disabled)		

Рис 1. Установка модуля РауКеерег.

2. Настройка модуля

Для настройки модуля нажмите на кнопку «Настроить» напротив модуля (см рис. 2).

ООО «ПЭЙКИПЕР» Тел: +7 (495) 984-87-51 http://paykeeper.ru



Dashboard	Store C	ontent Structure	Appearan	ce People Modules Configuration Reports Help	Hello admin	Log out 🚽
_	ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS	
		Credit card	7.x- 3.10	Enables support for credit card payments at checkout. Requires: Store (enabled), Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field SQL storage (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled) Required by: Test gateway (disabled), Authorize net (disabled)		
	0	CyberSource	7.x- 3.10	Processes payments using the CyberSource Silent Order POST and Hosted Order Page services. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)		
		Google Checkout	7.x- 3.10	This module is obsolete and CANNOT be installed. Uninstall hooks remain so you can remove this module if you previously had it installed. Requires: Cart (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Fulles (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Payment (enabled), Shipping quotes (enabled)		
	۲	PayKeeper	7.x-3.x	Credit cards, QIMI, WebMoney, YandexMoney and etc. through PayKeeper payment platform Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)	Configure	
		Payment method pack	7.x- 3.10	Provides the check/money order, COD, and 'other' payment methods. Requires: Cart (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Payment (enabled)		
		PayPal	7.x- 3.10	Processes payments using PayPal Website Payments Standard, Website Payments Pro and Express Checkout. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)		
		Test gateway	7.x- 3.10	Adds a credit card gateway that simulates a successful payment for testing checkout. Requires: Payment (enabled), Order (enabled), Product (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Store (enabled), Rules (enabled), Entity tokens (enabled), Entity API (enabled), Views (enabled), Chaos tools (enabled), Credit card (disabled)		
•	VIEWS					

Рис 2. Настройка модуля PayKeeper

Откроется окно с настройками модуля (см. рис. 3 и рис. 4). Задайте корректные значения полей настроек:

1. «PayKeeper server» («Сервер PayKeeper»).

В этом поле укажите URL адрес сервера РауКеерег следующего вида: http://<Bam caйт>.server.paykeeper.ru/create/

(Например, если Ваш сайт называется mysite.ru, то URL адрес формы оплаты будет следующим:

http://mysite.server.paykeeper.ru/create/). См. рисунок 3.

2. «Secret Seed» («Секретное слово»).

Секретное слово необходимо сгенерировать в личном кабинете PayKeeper, скопировать и вставить в поле «секретное слово». См. рисунок 3.



🛧 Dashboard Store Content Structure Appearance People Modules Configuration Reports Help	Hello admin	Log out 🛛 🖵
Add content Find content		Edit shortcuts
PayKeeper settings eubercart-dev.paykeeper.ru		8
Home > Administration > Store > Configuration > Payment methods		
PayKeeper server mysite.server.paykeeper. Domain name or IP adress of your PayKeeper installation.		
PAYKEEPER SECURITY SETTINGS You must specify that method that will be selected during PayKeeper integration RSA is more secure, MD5 is basic		
Secret seed [2tJoIRRKJ-1047Z This value is used to check authority of payment notifications.		
PayKeeper public key	li	
This value is used to check authority of payment notifications.		

Рисунок 3. Настройка модуля РауКеерег.

3. «Payment method title» («Название метода оплаты»).

В этом поле Вы можете указать информацию о методе оплаты, например «Оплата пластиковыми картами Visa и MasterCard на сайте». См. рисунок 4.

- 4. «Button text on transaction review page» («Текст кнопки на странице проверки заказа»).
 Здесь укажите название кнопки оплаты в форме заказа. См рисунок 4.
- **5.** «Set force order discount check» («Принудительный учет скидок»). Данная опция в настройках модуля РауКеерег введена для корректировки стоимости товаров в корзине относительно общей стоимости с учетом выбранной плательщиком скидки при использовании сторонних плагинов скидок. т.е. при использовании модуля скидок, не входящего в стандартную поставку CMS, данную опцию необходимо включить и сообщить об этом в службу поддержки по адресу support@paykeeper.ru



форму выбора способа оплаты

Рисунок 4. Настройка модуля PayKeeper.

Нажмите кнопку «Сохранить конфигурацию».

3. Настройка личного кабинета PayKeeper.

В личном кабинете PayKeeper зайдите в раздел «Настройки»->«Получение информации о платежах». Измените **«Способ получения уведомления о платежах»** на «POST-оповещения» (Puc. 5).

В поле **«URL, на который будут отправляться POST-запросы»** укажите URL-адрес вида:

http://<ваш сайт>/cart/paykeeper/receive_payment

(Например, если адрес Вашего сайта http://mysite.ru, то в поле «URL, на который будут отправляться POST-запросы» нужно указать: http://mysite.ru/cart/paykeeper/receive_payment)

«Секретное слово» можно придумать самостоятельно или сгенерировать с помощью кнопки «Сгенерировать».



PayKeeper		ЛИЧНЫЙ КАБИНЕТ:	000 Магазин 😽				
СТАТИСТИКА ПЛАТЕЖИ	СЧЕТА 😌 СОЗДАТЬ СЧЁТ	🔅 НАСТРОЙКИ	🕲 помощь				
ВНИМАНИЕ: СИСТЕМА НАХОДИТСЯ В ТЕСТОВОМ РЕЖИМЕ							
НАСТРОЙКИ							
Общие параметры СПОСОБ ПОЛУЧЕНИЯ УВЕДОМЛЕНИЯ О ПЛАТЕЖАХ							
Настройка формы оплаты	De 1/2						
Получение информации о платежах	РауКеерег предоставляет возможность оповещать организацию о принятых платежах с помощью отправки пиœм на адрес электронной почты, либо POST запросом на указанный URL.						
Доступ к панели администратора	Способ получения уведомления о	РОST-оповещения 🔻					
SMTP-сервер	платежах 3						
Адреса перенаправления клиента	URL, на который будут	http://www.ita.cu/www.honuka.page/geniua_poupont					
	отправляться POST-запросы	http://mysice.u/carc/paykeeper/receive_payment					
	Секретное слово	f2floIRRKI-1047Z Используйте латинские буквы в верхнем и нижнем регистре, цибры и знаки претинания	СГЕНЕРИРОВАТЬ				

Рисунок 5. Настройка получения информации о платежах.

В разделе «Адреса перенаправления клиента» (См. рисунок 6) в полях «URL страницы, на которую клиент переходит при успешном завершении оплаты.» и

«URL страницы, на которую клиент переходит при неудаче в процессе оплаты.» укажите

http://<ваш сайт>/

(Например, если Ваш сайт – http://mysite.ru/, то это значение Вы указываете в обоих полях)



👼 💌 PayKeeper	×					
← → C <						
	настройки					
	Общие параметры	АДРЕСА ПЕРЕНАПРАВЛЕНИЯ КЛИЕНТ	7A			
	Настройка формы оплаты					
	Получение информации о платежах	После завершения операции оплаты пользователь возвращается на служебные страницы РауКеерег (http://<ваш сервер РауКеерег>/fail/ и http://<ваш сервер РауКеерег>/success/). Они отображают сообщение о результате операции и если оплата не удалась описание возможных поичин неудачи.				
	Доступ к панели администратора	С этой страницы пользователь переходит по ссылке обратно на сайг организации. По умолчанию, возврат происходит на главную страницу, но при помощи следующей таблицы Вы можете задать, по каким URL-адресам пользовать сможет перейти в случае успеха и в случае неудачи при оплате.				
	SMTР-сервер	Обратите внимание, что эти URL нельзя нельзя симтать завершением оплаты. Пля	Обратите внимание, что эти URL нельзя изменять в зависимости от номера заказа, а переход по ним ни в коем случае чая за синтеть завеливанием опасты. Пая того истобы зетичативаски отменать заказы как опасивичные необходимо.			
Адреса перенаправления клиента		 нельзя считать завершением оплаты, для того чтобы автоматически отмечать заказы как оплаченные, необходимо использовать POST-интеграцию и обрабатывать POST-сообщения об успешных платежах. Настроить POST-интеграцию можно в пункте <u>Получение информации о платежах.</u> 				
		Пропускать служебные страницы РауКеерег				
		URL страницы, на которую клиент переходит при успешном завершении оплаты	http://mysite.ru/ &			
		URL страницы, на которую клиент переходит при неудаче в процессе оплаты	http://mysite.ru/ &			
			охранить или <u>Отменить изменения</u>			

Рисунок 6. Настройка адресов перенаправления клиента.